

CHEMICAL RESISTANCE GUIDE

SURESHIELD VE and FIBRECLENE VE

For Extremely High Chemical Resistant Applications

Visually, these two products are the same as standard **Sureshield** and **Fibreclene**. For harsh chemical environments, the resin matrix is changed from polyester to vinylester. This results in a far superior chemically resistant system, with the physical properties of the finished product being of the same high standard as on **Sureshield Monolithic Flooring System** and **Fibreclene Jointless Wall System**.

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

SURESHIELD VE and FIBRECLENE VE

Chemical Resistance Guide

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Acetaldehyde	100	Not Recommended
Acetic Acid	10	99
Acetic Acid	15	99
Acetic Acid	25	99
Acetic Acid	50	82
Acetic Acid	75	65
Acetic Acid Glacial	100	38
Acetic Anhydride	100	38
Acetone	10	82
Acetone	100	NR
Acid Cleaner – 31% Hydrochloric		88
Acrylamide	50	38
Acrylic Acid	10	38
Acrylic Acid	25	38
Acrylic Latex		49
Acrylonitrile Latex Dispersion	2	27
Activated Carbon Beds Water Treatment		99
Adipic Acid (1.5g sol in water) at 25°C, sol hot water)	23	82
Air One Sided (uninsulated) Air Temp Immersion		230 180
Alamine Amines		82
Alcohol, Amyl	All	99
Alcohol, Butyl	All	49
Alcohol, Ethyl	95	38
Alcohol, Isodecyl	All	49
Alcohol, Methyl	100	21
Alkyl Benzene Sulphonic Acid	92	49
Allyl Alcohol	100	27
Allyl Chloride	All	27
Allyl Toly Trimethyl Ammonium Chloride	-	-

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Alpha Methyl Styrene	100	49
Alpha Oleum Sulphates	100	121
Alum	All	121
Aluminium Chloride	All	99
Aluminium Chlorohydrate	All	99
Aluminium Chlorohydroxide	50	27
Aluminium Fluoride	All	93
Aluminium Hydroxide	100	82
Aluminium Nitrate	10	82
Aluminium Nitrate	100	121
Aluminium Potassium Sulphate	All	121
Aluminium Ethylene Glycol	All	99
Amino Acids		38
Ammonia	Liquefied Gas	NR
Ammonia	Gas	
Ammonia Aqueous (see Ammonium Hydroxide)		
Ammonium Acetate	65	27
Ammonium Bicarbonate	10	71
Ammonium Bicarbonate	50	71
Ammonium Bifluoride	100	65
Ammonium Bisulphite Black Liquor		82
Ammonium Bisulphate Cooking Liquor		65
Ammonium Bromate	43	71
Ammonium Bromide	43	71
Ammonium Carbonate	All	65
Ammonium Chloride	All	99
Ammonium Citrate	All	65
Ammonium Fluoride	All	65
Ammonium Hydroxide	5	82
Ammonium Hydroxide	10	65

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Ammonium Hydroxide	20	65
Ammonium Hydroxide	29	38
Ammonium Lauryl Sulphate	30	49
Ammonium Ligno Sulphonate	50	82
Ammonium Molybdate	All	
Ammonium Nitrate	All	121
Ammonium Oxalate	All	
Ammonium Pentaborate	12	
Ammonium Persulfate	All	82
Ammonium Phosphate, Dibasic	All	99
Ammonium Phosphate, Monobasic	All	99
Ammonium Polysulphide	Sat'd	65
Ammonium Sulphate	All	121
Ammonium Sulfate (Bisulphide)	Sat'd	50
Ammonium Sulphite	Sat'd	65
Ammonium Thiocyanate	50	38
Ammonium Thioglycolate	7½	
Ammonium Thiosulphate	60	38
Amyl Acetate	All	49
Amyl Alcohol	All	99
Amyl Alcohol, Vapor		99
Amyl Chloride	100	49
Aniline	100	21
Aniline Hydrochloride	All	82
Aniline Sulphate	All	99
Anodize (15% sulphuric)		99
Armeen H.T. Amines		38
Arsenic Acid	19°BE	82
Barium Acetate	All	82
Barium Bromide	All	99
Barium Carbonate	All	121
Barium Chloride	All	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Barium Cyanide	All	65
Barium Hydroxide	All	65
Barium Sulphate	All	121
Barium Sulphide	All	82
Barley Solution		
Beer		
Beet Sugar Liquor		
Benzaldehyde	100	21
Benzalkonium	Dilute	
Benzene	100	38
Benzene: Ethyl Benzene	1/3 : 2/3	38
Benzene, Hydrochloric Acid (wet)		38
Benzene, Vapor		49
Benzene, Sulphonic Acid	50	65
Benzoic Acid	Sat'd	99
O-Benzoyl Benzoic Acid	All	99
Benzyl Alcohol	All	38
Benzy Chloride	100	27
Benzyltrimethylammonium Chloride	60	38
Bisulphate in Scrubber	Gasses	177
Black Liquor (Pulp Mill)	All	82
Black Liquor (Pulp Mill) Thick	All	104
Black Liquor Kraft	Thin	82
Black Liquor Recovery Furnace Gases		204
Black Liquor (Pulp Mill)	100	93
Calcium Hypochlorite	All	82
Chlorine Dioxide Wet	Sat'd	86
Chlorine Water	Sat'd	99
Lithium Hypochlorite	All	82
Peroxides Dilute		99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Sodium Hypochlorite	5.25	82
	10	82
	18	82
Textone Liquid		82
Blood Proteins	20	
Blood Sugar	All	121
Borax	100	99
Boric Acid	All	99
Brake Fluid HD577		49
Brass Plating Solution 3% Copper, 1% Zinc and 5.6% sodium cyanides, 3% sodium carbonate		82
Brine	All	99
Bromine, Dry Gas		38
Bromine, Liquid	100	NR
Bromine, Wet Gas	100	38
Brown Stock		82
Bunker C Fuel Oil	100	104
2-Butoxyethanol	100	38
2.2-Butoxyethanol	100	38
Butyl Acetate	100	27
Butyl Acrylate		27
Butyl Alcohol	All	49
Butyl Benzoate	70	38
Butyl Benzyl Phthalate	100	99
Butyl Carbitol Diethylene Glycol	100	38
Butyl Cellosolve Solvent	100	38
Butyl Hypochlorite	98	NR
Butyl Stearate (5% in mineral spirits)		
Butyl Gylcol	100	82
Butylene Oxide	100	NR

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Butylaldehyde	100	38
Butyric Acid	25	99
Butyric Acid	50	99
Butyric Acid	100	49
Cadmium Chloride	All	82
Cadmium Cyanide Plating Bath 3% cadmium oxide, 10% sodium cyanide, 1.2% sodium hydroxide		82
Calcium Bisulfite	All	82
Calcium Bromide	All	99
Calcium Carbonate	All	82
Calcium Chlorate	All	121
Calcium Chloride	All	121
Calcium Hydroxide	15	121
Calcium Hydroxide	25	99
Calcium Hydroxide	100	99
Calcium Hypochlorite	All	82
Calcium Nitrate	All	99
Calcium Sulphate	All	121
Calgon (Produce E) Sodium Hexametaphosphate		
Cane Sugar Liquor & Sweetwater	All	82
Caprylic Acid (See Octanoic Acid)	All	99
Caramel		
Carbon Dioxide Gas		177
Carbon Disulphide	100	NR
Carbon Disulphide	Fumes	65
Carbon Monoxide Gas		204
Carbon Tetrachloride	100	82
Carbon Tetrachloride Vapor		93
Carbowax Polyethylene Glycol	100	82

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Carboxyl Methyl Cellulose	10	65
Cascade Detergent Solution		82
Cashew Nut Oil	100	
Caster Oil	100	71
Caustic (see Sodium Hydroxide)		
Chlorinated Pulp		93
Chlorinated Solvent Recovery (see Specific Solvents)		
Chlorinated Wax	All	82
Chlorination Washer, Hoods & Vent Systems		93
Chlorine Hydrochloric Acid – Wet	8-10	177
Chlorine Dioxide	All	65
Chlorine Dioxide – Wet	Sat'd	82
Chlorine Dioxide Generator Effluent R2 System		82
Chlorine Water	Sat'd	99
Chlorine – Dry Gas	100	121
Chlorine – Wet Gas	100	121
Chlorine – Wet Gas	Fumes	177
N-Chloro O Totyl (Insecticide Emulsion)	10	49
Chloroacetic Acid	25	49
Chloroacetic Acid	50	38
Chloroacetic Acid	Conc.	NR
Chlorobenzene	100	38
Chloroform	100	NR
Chloropyridine (Tetra)	100	49
Chlorosulphonic Acid	10	NR
Chlorotoluene	100	38
Chrome Bath – 19% chromic acid & sodium fluorosilicate and sulfate		65

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Chromic Acid	5	65
Chromic Acid	10	65
Chromic Acid	20	65
Chromic Acid	30	NR
Chromium Plate		54
Chromium Sulphate	All	82
Citric Acid	All	49
Cobalt Chloride	All	49
Cobalt Citrate	12	93
Cobalt Nitrate	15	49
Coconut Oil	All	93
Cod Liver Oil	100	
Continue Etch Solvent		38
Copper Chloride	All	121
Copper Cyanide	All	99
Copper Cyanide Plating Bath (10.5% copper and 14% sodium cyanides, 6% rochelle salts)		71
Copper Cyanide	8 : 3 : 2	82
Potassium Cyanide Potassium Hydroxide	Oz/gal	
Copper Matte Dipping Bath 30% FeCl ₃ , 19% Hydrochloric		93
Copper Nitrate	All	99
Copper Plating Solution (45% CU(BE4)2 : 19% Copper Sulphate : 8% Sulfonic)		82
Copper Sulphate	All	121
Corn Oil		99
Corn Starch	Slurry	
Corn Sugar	All	
Cottonseed Oil		99
Crude Oil – Sour	100	121

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Crude Oil – Sweet	100	121
Cryogenic Temperatures		
Cyanide Disposal (Hypo)		38
Cyclohexane	100	65
DMA 6 Weed Killer		49
Decanol	100	82
Deionized Water	100	82
Demineralized Water	100	99
Desmut	10	
Detergents – Organic pH	All	93
Detergents – Organic pH 12		82
Detergents – Sulphonated	All	
Diallylphthalate	All	99
Di-Ammonium Phosphate	65	99
Dibromo Phenol		38
Dibutyl Ether	100	99
Dibutyl Sebacate	All	65
Dibutylphthalate	All	65
Dichlorobenzene	100	49
Dichloroethane	100	27
Dichloroethylene	100	NR
Dichloromethane (Methylene Chloride)	100	NR
2, 4 Dichlorophenoxy Acetic Acid (Acid, sales, esters & Formulations)		49
Dichloropropane	100	38
Dichloropropene	100	27
Dichlorotoluene	100	49
Diesel Fuel	100	99
Diethanol Amine	100	49
Diethyl Benzene	100	65
Diethyl Carbonate	100	38

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. In accepting our goods the customer acknowledges:

- (a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
- (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
- (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Diethyl Ketone	100	27
Diethyl Sulphate	100	49
Diethylene Glycol	100	99
Diethylhexyl Phosphoric Acid (In Kerosene)	20	82
Diisobutyl Ketone		49
Diisobutyl Phthalate	100	65
Diisobutylene	100	38
Diisopropanol Amine	100	65
Dimethyl Formamide	100	NR
Dimethyl Morpholine		49
Dimethyl Phthalate	100	82
Dimethyl Sulphide	100	27
2,2 Dimethyl Thiazolidine	1	82
Diocetyl Phthalate	100	99
Diphenyl Oxide (Diphenyl Ether, Phenyl Ether)	100	49
Dipotassium Phosphate	50	38
Dipropylene Glycol	100	99
Distilled Water	100	82
Divinyl Benzene	100	49
Dodecanol (Lauryl Alcohol)	100	82
Dodecene	100	82
Dodecyl Benzene Sulphonic Acid : Sulphuric Acid : Water :	85 : 10 : 4 : 1	65
Oil	100	49
Dodecyl Benzene Sulphonic Acid	5	65
ECR – 34	100	32
Electrosol Anti-Static Agent	100	27
Endura-etch Solution	100	
Epichlorohydrin	100	65
Epoxidized Caster Oil	100	82

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Ethanol	95	38
Ethanol	50	65
Ethanol (Ethyl Alcohol)	10	65
Ethanolamine	100	27
Ethyl Acetate		21
Ethyl Acrylate		NR
Ethyl Alcohol (Ethanol)	95	38
Ethyl Benzene		49
Ethyl Benzene : Benzene	2/3 : 1/3	38
Ethyl Bromide		NR
Ethyl Chloride	100	27
Ethyl Ether	100	NR
Ethyl Sulphate	100	38
Ethylene Chlorohydrin	100	38
Ethylene Dichloride (see Dichloroethane)	100	27
Ethylene Gylcol	All	99
Ethylene Gylcol Monobutyl Ether	100	38
Ethylenediamine Tetraacetic Acid		38
Eucalyptus Oil	100	60
Fatty Acids	All	121
Ferric Acetate	Sat'd	82
Ferric Chloride	All	99
Ferric Chloride : Ferrous Chloride	5 : 20	99
Ferric Chloride : Ferrous Chloride : Hydrochloric Acid	48 : 0.2 : 0.2	82
Ferric Chloride: Hydrochloric Acid	29 : 18.5	82
Ferric Nitrate	All	99
Ferric Sulphate	All	99
Ferrous Chloride	All	99
Ferrous Chloride : Ferric Chloride	20 : 5	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Ferrous Nitrate	All	99
Ferrous Sulphate	All	99
Fertilizer – Uran Ureaammonium Nitrate Composition : 43.3% Ammonium Nitrate, 34.5% Urea, 20.3% Water		49
8-8-8 Fertilizer : Composition – (parts by wt.) 30 Phosphoric Acid, 29 Ammonia, 104.3 Water, 10.4 Uran, 26.0 Potash, 3.0 Borax pH 8.2		49
Flue Gas		204
Fluoric Acid	All	99
Fluoride Salts+Hydrochloric Acid	30 : 10	49
Fluorine Gas		
Fluorosilicic Acid	10	82
Fluorosilicic Acid	25	38
Fluorosilicic Acid	35	38
Fluorosilicic Acid Fumes		82
Fly Ash Slurry		65
Formaldehyde	44	65
Formaldehyde	All	65
Formic Acid	10	82
Formic Acid	98	38
Forterge Products		38
Freon 11 Solvent		38
Fuel Oil	100	99
Furfural	100	NR
Furfuryl Alcohol	100	27
Galecron 4EC Insecticide	100	49
Gallic Acid	Sat'd	38
Gasoline	100	82
Gasoline – Aviation	100	82

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Gasoline – Ethyl	100	82
Gasoline – No Lead	100	65
Gluconic Acid	50	82
Glucose	100	121
Gluteraldehyde	50	49
Gluteric Acid	50	49
Glycerine	100	99
Glycol	All	99
Glycolic Acid (Hydroxy Acetic)	70	38
Glyoxal	40	38
Gold Plating Solution : (12% Potassium Ferrocyanide with Potassium Gold Cyanide and Sodium Cyanide)		82
Hard Chrome Plating baths		60
Heptane	100	99
N-Heptane	100	99
Herbicides		49
Hexachloroethane	100	49
Hexamethylenetetramine	40	49
Hexane	100	71
Hot Stack Gas		204
Hydraulic Fluid	100	82
Hydrazine	100	NR
Hydriodic Acid	40	65
Hydrobromic Acid	18	82
Hydrobromic Acid	25	82
Hydrobromic Acid	48	65
Hydrobromic Acid	62	38
Hydrocarbons		
Hydrochloric Acid	10	110
Hydrochloric Acid	15	110
Hydrochloric Acid	20	110

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Hydrochloric Acid	37	82
Hydrochloric Acid & Organics		Up To 65
Hydrochloric Acid + Free Chlorine	All	110
Hydrochloric Acid, Fume + Free Fumes		177
Hydrochloric Acid, Fumes		177
Hydrocyanic Acid	All	99
Hydrofluoric Acid	10	65
Hydrofluoric Acid	20	38
Hydrofluorosilic Acid	10	82
Hydrofluorosilic Acid	25	38
Hydrofluorosilic Acid	35	38
Hydrogen Bromide – Wet Gas	100	82
Hydrogen Chloride – Dry Gas	100	177
Hydrogen Chloride – Wet Gas	100	177
Hydrogen Fluoride – Vapor		82
Hydrogen Peroxide	30	65
Hydrogen Sulphide	5	177
Hydrogen Sulphide	100	99
Hydrosulfite Bleach – Aqueous Solution Containing 5% Zinc Hydrosulphite and 2.5% Tripolyphosphate		82
Hydroxyacetic Acid (Glycolic Acid)	70	38
Hypochlorous Acid		
Hypophosphorous Acid	50	49
Incinerator Gases		177
Insecticides		49
Iodine – Crystals	100	65
Iodine – Vapour	100	82

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Iron Plating Solution – 45% Fecl2 : 15% Calc2 : 20% Fesp4 : 11% (NH4)2 SO4	100	121
Iron and Steel Cleaning Bath 9% Hydrochloric : 23% Sulphuric		99
Isoamyl Alcohol	100	49
Isobutyl Alcohol	100	49
Isodecanol		49
Isononyl Alcohol	100	65
Isooctyl Adipate	100	65
Isooctyl Alcohol	100	65
Isopropyl Alcohol	All	49
Isopropyl Amine	100	49
Isopropyl Myristate	100	110
Isopropyl Palmitate	100	110
Itaconic Acid	25	49
Jet Fuel (JP-4)	100	82
Kerosene	100	82
Kerosene, Diethylhexyl Phosphane Oxide (Topo)		82
Kraft Recovery Boiler Breeching		177
Lactic Acid	All	99
Lasso Herbicide		49
Latex		49
Lauryl Chloride		49
Lauryl Alcohol	100	82
Lauryl Chloride	100	99
Lauryl Chloride – Crude – Acidic	100	99
Lauryl Mercaptan	All	65
Lead Acetate	All	110
Levulinic Acid	All	110
Linseed Oil	100	110
Lithium Bromide	Sat'd	121

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Lithium Carbonate	Sat'd	82
Lithium Chloride	Sat'd	99
Lithium Hydroxide	Sat'd	82
Lithium Hypochlorite	All	82
Low Temperatures		
Magnesium Bisulphite	All	82
Magnesium Carbonate	All	82
Magnesium Chloride	All	121
Magnesium Fluorosilicate	All	99
Magnesium Hydroxide	100	99
Magnesium Nitrate	All	99
Magnesium Phosphate	All	
Magnesium Sulphate	All	121
Magnifloc 500 Series Products	All	60
Magnifloc 837A Products	All	65
Maleic Acid	100	121
Manganese Chloride (Manganous Chloride)	All	99
Manganese Sulphate (Manganous Sulphate)	All	99
Mercaptoacetic Acid	All	38
Mercuric Chloride	100	99
Mercurous Chloride	All	99
Mercury	100	121
Methanol	100	21
Methyl Alcohol	100	21
Methyl Bromide (Gas)	10	27
Methyl Ethyl Ketone	100	NR
Methyl Styrene (Alpha)	100	49
Methylene Chloride	100	NR
Milk	100	
Mineral Oils	100	121
Molasses	100	

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Molybdenum Disulphide (Manufacturing)		
Monochloroacetic Acid	80	NR
Monochloroacetic Acid	100	NR
Monochlorobenzene	100	38
Monoethanolamine (see Ethanolamine)		
Monomethylhydrazine	100	NR
Morpholine	100	27
Motor Oil		121
Muriatic Acid (see Hydrochloric Acid)		
Myristic Acid	100	121
Naphtha	100	99
Naphtha – Heavy Aromatic		49
Napthalene	100	99
Neutralizer & Desmut		65
Nickel Chloride	All	99
Nickel Nitrate	All	99
Nickel Plating Solution: No. 1 (11% Nickel Sulphate, 2% Nickel Chloride, 1% Boric Acid)		82
Nickel Plating Solution No. 2 (11% Nickel Sulphate, 4% Ammonium Chloride, 4% Boric Acid)		82
Nickel Sulphate	All	99
Nitrate Acid	5	82
Nitrate Acid	20	65
Nitric Acid	40	27
Nitric Acid Fumes		82
Nitric/Hydrofluoric Acid	8/5	60
Nitrobenzene	100	38

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Non-Condensable Blow-Down Gases		121
Oakite Rust Stripper		82
Octanoic Acid (Caprylic Acid)	100	99
Oil – Sour Crude	100	99
Oil – Sweet Crude	100	99
Oleic Acid	All	93
Oleum (Fuming Sulphuric)		NR
Olive Oils	100	121
Oxalic Acid	All	99
Ozone		104
Palmitic Acid	100	121
Paper Mill Effluent		60
Peanut Oil	100	
Pentanedioic Acid (see Gluteric Acid)	50	49
Perchloric Acid	10	65
Perchloric Acid	30	38
Perchloroethylene	100	49
Peroxide Bleach – Aqueous Solution Containing – 2% sodium peroxide, 96% 0.025% epsom salts, 5% sodium silicate 42°BE, 1.4% sulphuric acid 66°BE.		
Phenol (Carbolic Acid)	5	49
Phenol	88	21
Phenol Formaldehyde Resin	All	49
Phenol Sulphonic Acid	65	27
Phosphoric Acid	85	99
Phosphoric Acid	100	99
Phosphoric Acid (Super-Phosphoric Acid 76% P205)	105	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Phosphoric Acid (Polyphosphoric)	115	99
Phosphoric Acid with Phosphorous Pentoxide, Hydrochloric Acid & Sulphuric Dioxide	Fumes	110
Phosphoric Acid – Vapor & Condensate	100	121
Phosphoric Acid : Hydrochloric Acid – Sat'd with CL2	15.9	99
Phosphorous Acid	70	38
Phosphorous Trichloride		NR
Phthalic Acid	All	99
Picric Acid (Alcoholic)	10	38
Pine Oil	100	49
Plating Chemicals – Platinum Plating Solution		82
Polyacrylamide		38
Polyethylene Amine	12	65
Polyphosphoric Acid 115% H3P054		99
Polyvinyl Acetate Adhesives		49
Polyvinyl Alcohol	All	49
Polyvinyl Chloride Latex with 25 parts	DOP	49
Potassium Aluminium Sulphate	All	121
Potassium Bicarbonate	10	65
Potassium Bicarbonate	50	82
Potassium Bromide	All	49
Potassium Carbonate	10	65
Potassium Carbonate	25	65
Potassium Carbonate	50	82
Potassium Chloride	All	99
Potassium Dichromate	All	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Potassium Ferricyanide	All	99
Potassium Ferrocyanide	All	99
Potassium Gold Cyanide	12	38
Potassium Hydroxide	10	65
Potassium Hydroxide	45	82
Potassium Hydroxide: Potassium Cyanide : Copper Cyanide	2 : 3 : 8 oz/gal	82
Potassium Iodine	All	65
Potassium Nitrate	All	99
Potassium Oxalate	All	
Potassium Permanganate	All	99
Potassium Persulphate	All	99
Potassium Pyrophosphate	60	65
Potassium Silicofluoride		38
Potassium Sulphate	All	99
Propionic Acid	50	82
Propionic Acid	100	38
Propylene Glycol	All	99
Pulp Paper Mill Blow Down (Non-Condensable Gases)		121
Purifloc* C-41 Flocculant		
Pyridine	100	NR
Quaternary Amine Salts		65
Radiation Resistance		
Rayon Spin Bath		60
Rayon Spinning	Fumes	
Recovery Boiler Gases		177
Red Liquor	All	65
Salicylic Acid	100	
Salt Brine	30	121
Sea Water		99
Selenious Acid	All	99
Silver Nitrate	All	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.
 (b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.
 (c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Silver Plating Solution: 4% Silver, 7% Potassium, 5% Sodium Cyanides, 2% Potassium Carbonate		82
Sodium Acetate	All	99
Sodium Alkyl Aryl Sulphonates	All	82
Sodium Aluminate	All	49
Sodium Benzoate	100	82
Sodium Bicarbonate	10	82
Sodium Bicarbonate	Sat'd	82
Sodium Bicarbonate: Sodium Carbonate	15 : 20	82
Sodium Bifluoride	All	
Sodium Bisulphate	All	99
Sodium Bisulphite	Sat'd	99
Sodium Borate	Sat'd	99
Sodium Borohydride SWS (Stabilised Water Solution)	Sat'd	
Sodium Bromate	5	65
Sodium Bromide	All	99
Sodium Carbonate	10	82
Sodium Carbonate	25	82
Sodium Carbonate	32	82
Sodium Carbonate	35	82
Sodium Carbonate : Sodium Bicarbonate	20 : 15	82
Sodium Chlorate	50	99
Sodium Chlorate	100	113
Sodium Chlorate : Sodium Chloride	3.2M : 3.4M	99
Sodium Chloride – pH 10.5, Cl ²	Sat'd	93
Sodium Chloride – pH 11, some Cl ²	Sat'd	82

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Sodium Chloride – pH 3.5	Sat'd	99
Sodium Chloride : Sodium Chlorate	3.4M : 3.2M	99
Sodium Chlorite	10	65
Sodium Chlorite	50	49
Sodium Chromate	50	99
Sodium Cyanide	All	99
Sodium Dichromate	100	99
Sodium Dodecylbenzene – Sulfonate		71
Sodium Ferricyanide	All	99
Sodium Ferrocyanide	All	99
Sodium Fluoride	All	82
Sodium Fluoro Silicate	All	49
Sodium Hexametaphosphate	10	38
Sodium Hydrosulphide	All	82
Sodium Hydroxide	5	82
Sodium Hydroxide	10	82
Sodium Hydroxide	25	82
Sodium Hydroxide	50	99
Sodium Hypochlorite	5 1/4	82
Sodium Hypochlorite	10	82
Sodium Hypochlorite	18	82
Sodium Hypochlorite – 5% NaOH		49
Scrubbing CL2 C102		
Sodium Lauryl Sulphate	All	71
Sodium Mono-Phosphate	All	99
Sodium Nitrate	All	99
Sodium Nitrite	All	99
Sodium Oxalate	Sat'd	99
Sodium Persulphate	20	
Sodium Phosphate	10	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Sodium Phosphate Tri	All	99
Sodium Polyacrylate – pH 9-10.5	25	82
Sodium Silicate	All	99
Sodium Sulphate	All	99
Sodium Sulphide	All	99
Sodium Sulphite	All	99
Sodium Tartrate	All	99
Sodium Tetraborate	Sat'd	82
Sodium Thiocyanate	57	82
Sodium Thiosulphate	All	82
Sodium Tripolyphosphate	Sat'd	99
Sodium Xylene Sulphonate	All	71
Solder plate		65
Solvent Composite : 35% Xylene, 35% Kerosene, 30% DI-2 Ethyl Hexyl Phosphoric Acid		65
Solvent Extration Solutions: 4% Trioctylphosphine Oxide (Topo), 4% Diethyl Hexyl Phosphoric Acid (Dehpa), 92% Kerosene		82
Solvent Extration Solutions: 3% Isodecanol, 6% Alamine 336, 91% Kerosene		82
Sorbital Solutions	All	
Sour Crude Oil	100	121
Soy Sauce		
Soya Oil	100	99
Spearmint Oil		
Stannic Chloride	All	99
Stannous Chloride	All	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Steam		104
Stearic Acid	All	99
Styrene	100	49
Styrene Acrylic Emulsion		49
Styrene Butadiene Latex		
Succinonitrile Aqueous		38
Sugar, Beet, Liquor		82
Sugar, Cane, Liquor & Sweetwater	All	82
Sugar/Sucrose	All	99
Sulphamic Acid	10	99
Sulphamic Acid	25	65
Sulphanalic Acid	All	99
Sulphate Process Non-Condensable Gases		121
Sulphated Detergents		
Sulphite/Sulphate Liquors (Pulp Mill)		93
Sulphonated Detergents	100	82
Sulphur Chloride	Fumes	94
Sulphur Dioxide (Dry or Wet)		121
Sulphur Dioxide Burner – Wet Gas		177
Sulphur – Molten		149
Sulphur Trioxide		149
Sulphur, Wettable, Fungicide		82
Sulphuric Acid	25	99
Sulphuric Acid	70	82
Sulphuric Acid	75	49
Sulphuric Acid	93	NR
Sulphuric Acid – Vapour		177
Sulphuric Acid : Ferrous Sulfate	10 : Sat'd	99
Sulphuric Acid : Phosphoric Acid	10 : 20	82
Sulphurous Acid	10	49
Superphosphoric Acid (76% P2O5)	105% H3P04	99

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Surfactant		
T-Butyl Hydroperoxide	70	
Tall Oil Reactor		104
Tall Oil Storage	All	104
Tannic Acid	All	99
Tartaric Acid	All	99
Tetrachloroethane	100	49
Tetrachloroethylene (Perchloroethylene)	100	49
Tetrachloropentane	100	38
Tetrachloropyridine		49
Tetrapotassium Pyrophosphate	60	65
Tetrasodium Ethylenediamine (Tetracetic Acid)	All	49
Textone Liquid Product – 50% Aqueous Solution of Sodium Chlorite		99
Thermal Oxidizer (HCl Absorption)		82
Thioglycolic Acid (Mercaptoacetic Acid)	All	38
Thionyl Chloride		NR
Tin Fluoroborate Plating Bath 18% Stannous Fluoroborate, 7% Tin, 9% Fluoroboric Acid, 2% Boric Acid		99
Tobias Acid (2-Naphthylamine 1-Sulphonic)	All	99
Toluene	100	49
Toluene Sulphonic Acid	All	99
Tomato Sauce		
Transformer Oils		149
Tributyl Phosphate	100	57

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

Chemical Resistance Guide (continued)

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Trichloroacetic Acid	50	99
Trichloroethane	100	49
Trichloroethylene	100	NR
Trichloromonofluoromethane		
2, 4, 5 Trichlorophenoxyacetic Acid (Acid, Salts, Esters and Formulations)	100	38
Tricresyl Phosphate	100	71
Triethanolamine	100	49
Triethylamine	All	49
Triethylene Glycol	100	82
Trimethylene Chlorobromide		NR
Trioxyl Phosphine Oxide, Diethyl Hexyl Phosphoric Acid : Kerosene 4/4/92		82
Tripropylene Glycol	100	65
Trisodium Phosphate	All	121
Triton X-100 Wetting Agent		
Turpentine	100	99
Turen Surfactant	All	82
UR Awet Surfactants	All	82
Uran Fertilizer Urea – Ammonium Nitrate Compsostion: 44.3% Ammonium Nitrate, 35.4% Urea and 20.3% Water		49
Uranium Extraction		82
Urea	50	65
Urea : Ammonium Nitrate: Water	35 : 44 : 20	NR
Urine Sugar		116
Vanillin Black Liquor		
Vinegar	100	99
Vinyl Toluene	100	49
Waste Organic, H2O, HCL, CL2		82

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.

DESCRIPTION	CONCENTRATION %	MAXIMUM RECOMMENDED TEMPERATURE °C
Water – 50 ppm Phenol		49
Water – Deionized	100	82
Water – Distilled	100	99
Water – Sea Desalination pH 7.5	1.75 x Normal	82
Water – Sea Desalination pH 7.5	2.75 x Normal	82
Water – Steam Condensate	100	82
Whey	All	
White Liquor (Pulp Mill)		82
Xylene	100	49
Zinc Chloride	70	154
Zinc Cyanide		82
Zinc Cyanide Plating Bath – 9% Zinc, 4% Sodium Cyanides and 9% Sodium Hydroxide		82
Zinc Electrolyte		65
Zinc Fluoborate Plating Bath – 49% Zinc Fluoborate, 5% Ammonium Chloride, 6% Ammonium Fluoroborate		93
Zinc Nitrate	All	121
Zinc Sulfate	All	121

The Australian Trade Practices Act implies into contracts for the supply by a corporation of services as a "consumer" non-excludable warranties that, among other things, the goods provided will be of merchantable quality. Except to the extent that the Purchaser has non-excludable rights against the company under the Trade Practices Act, and because we cannot anticipate or control the many different conditions under which our products and information furnished relating to their use may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation.

In accepting our goods the customer acknowledges:

(a) The materials are of a hazardous nature and that the customer is responsible for disposal of the container in accordance with the requirements and regulations of the relevant supervising government.

(b) The materials have a limited shelf life and must be stored strictly in accordance with the guidelines and specifications relating to the particular product.

(c) The company gives no warranty as to the applicability for the particular use by the customer and the customer shall be responsible for having to ensure that the materials are fit for the use by the customer.